

<http://www.google.com/search?q=scsi+assigns+numbers+consecutively&hl=en&lr=&ie=UTF-8>

Google [Web](#) [Images](#) [Groups](#) [News](#) [Google News](#) [more»](#) Advanced Search

Web Results 11 - 20 of about 236 for scsi assigns numbers consecutively. (0.24 seconds)

[docs.sun.com: Sun Enterprise 10000 Dynamic Reconfiguration User's...](http://docs.sun.com/doc/805-5442-10/6550p3p7?qa=view)
... the disk controller number that disks(1M) assigns... controller numbers are the next available lowest numbers... devices are suspend-unstate, all SCSI tape devices ...
[docs.sun.com: Sun Enterprise 10000 Dynamic Reconfiguration User's...](http://docs.sun.com/doc/805-3525-10/63bslf7?qa=view)
... the disk controller number that disks(1M) assigns... controller numbers are the next available lowest numbers... All SCSI tape devices that are nativey supported ...
[docs.sun.com: Sun Enterprise 10000 Dynamic Reconfiguration User's...](http://docs.sun.com/doc/805-3525-10/63bslf7?qa=view)
[More results from docs.sun.com]

[\[PDF\]](#) [A Parallel Document Engine Built on Top of a Cluster of Databases](#)

[File Format: Adobe PostScript - View as Text](#)
... The third alternative HASHCONS (Figure 2(c)) assigns data items ... We use different numbers of terms per query for our ... tablespaces on an IDE and an SCSI disk drive ...
www.inf.ethz.ch/research/publications/dataltech-reports/3xx/340.ps [Similar pages](#)

[\[PDF\]](#) [PublTeX output 1999.11.02-1347](#)

[File Format: PDF/Adobe Acrobat - View as HTML](#)
... A static system based partitioning scheme assigns computation and ... is connected to an 1 Gbyte SCSI disk ... of 1 mil. lion randomly generated floating point numbers. ...
www.cs.princeton.edu/~livip/papers/compcnn93.ps [Similar pages](#)

[\[PDF\]](#) [Memory Servers for Multicomputers](#) [Lambda] Liviu Iftode, Kai Li, Katin...

[File Format: Adobe PostScript - View as Text](#)
... A static system based partitioning scheme assigns computation and ... is connected to an 1 Gbyte SCSI disk ... of 1 mil. lion randomly generated floating point numbers. ...
www.cs.princeton.edu/~livip/papers/compcnn93.ps [Similar pages](#)

[\[PDF\]](#) [RAPPORT](#)

[File Format: PDF/Adobe Acrobat - View as HTML](#)
... 37 Name Services 37 User (Login) Names 37 User ID Numbers 38 Passwords ... 279 SCSI and PCI Hot-Plugging 279 Improved Device Configuration (devfsadm) 280 Where to ...
www.ligo-le.caltech.edu/~support/805-7228.pdf [Similar pages](#)

[\[PDF\]](#) [4th USENIX OSDI Symposium Paper - 2000](#)

[File Format: PDF/Adobe Acrobat - View as HTML](#)
... via a variety of interconnects, including SCSI buses and ... the cache are shown as file block numbers, with "e..." page of the data file resides, it assigns a latency ...
www.usenix.org/events/osdi2000/full_papers/vannmeter_vannmeter.html - 73k - Cached [Similar pages](#)

[\[PDF\]](#) [Latency Management in Storage Systems](#)

[File Format: PDF/Adobe Acrobat - View as HTML](#)
... via a variety of inter-connects, including SCSI buses and ... cache are shown as file
www.usenix.org/events/osdi2000/full_papers/ins/INS-R0006.pdf [Similar pages](#)

Printed 4/6/04 (5:23:43 PM)

Printed 4/6/04 (5:23:43 PM)

<http://www.google.com/search?q=scsi+assigns+numbers+consecutively&hl=en&lr=&ie=UTF-8>

block numbers, with "e..." page of the data file resides, it assigns a latency ...
www.usenix.org/events/osdi2000/full_papers/vannmeter.pdf [Similar pages](#)
[More results from www.usenix.org]

[\[PDF\]](#) [NT Setup for FC SCSI Disk & Nav.](#)

[File Format: PDF/Adobe Acrobat](#)
... Windows NT assigns disk numbers by scanning all Scsi buses for disk devices and naming the devices in the order in which it finds them. ...
www.csc.dq.com/csc/custdocs/40026811.pdf - Supplemental Result [Similar pages](#)
[More results from www.usenix.org]

[◀ Gooooooooooooo | e ▶](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[\[scsi assigns numbers consecutively\]](#)

[Search within results](#) [Language Tools](#) [Search Tips](#)


[Google Home](#) - [Advertising](#) [Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

1 of 2

2 of 2

<http://www.google.com/search?q=enumerate+scsi&hl=en&l=8&ie=UTF-8&oe=UTF-8&start=1...>



Results 11 - 20 of about 3,560 for enumerate scsi. (0.25 seconds)

Mid-Atlantic Linux Mailing Lists, Archives by Month: Re: scsi ID's

... Here is a clip from an old Ses I-HOWTO. Unfortunately, Microsoft decided that Windows 95 would always enumerate the PCI slots in order of increasing bus number ...

boudicca.itux.org/mhonarc/malinux/1998/1998-Aug/0198.html - 4k - Cached - Similar pages

[TCLUG] burners and SCSI emulation

... to the fclcclio.conf which tells the ide-cdrom driver to ignore the cdrom drive, so that the IDE-SCSI emulation can pick it up & enumerate it as a SCSI device ...

archives.net-time.com/pipermail/[tclug-list]/2001-June/03624.html - 6k - Cached - Similar pages

The Linux SCSI HOWTO: Hosts

... For booting from a SCSI disk to work correctly, it is necessary that the host ... Some PCI BIOS implementations enumerate the PCI slots in order of increasing bus ...

www.uni-paderborn.de/Linux/mtnwh/IHOWTO/OSI-HOWTO-5.html - 7k - Cached - Similar pages

LWN: Lots of SCSI disks

... to solve; they wanted to be able to enumerate all of those disks without breaking existing systems. In other words, all of the existing SCSI device numbers ...

lwn.net/Articles/75928/ - 28k - Apr 6, 2004 - Cached - Similar pages

Visual SCSI Explorer overview page

... (2.1) Script will be able to enumerate all host bus adapters and all SCSI devices on the computer. This will make possible to ...

www.scsieexplorer.com.ua/overview.htm - 51k - Cached - Similar pages

Visual SCSI Explorer :: by Andriy Chobik

... (2.1) Script will be able to enumerate all host bus adapters and all SCSI devices on the computer. This will make possible to handle ...

www.scsieexplorer.com.ua/index.php?module=ContentExpress&func=display&cid=9 - 24k - Apr 6, 2004 - Cached - Similar pages

2.1 General Requirements

... Prior to enumerating any other devices, the SCSI HD must first enumerate exactly one multi-lun pseudo device using an atti_list containing only the ...

uw713doc.sco.com/en/UDI/spec/scsi_spec.htm - 101k - Cached - Similar pages

SCSI, SMP, and Supermicro problems!

... we were back to the old failure: >>> Waiting 15 seconds for SCSI devices to ... Check if we should perform a hyperthreading 'fix-up' to enumerate any logical ...

lists.freebsd.org/pipermail/freebsd-hardware/2003-October/000652.html - 13k - Cached - Similar pages³

PDF UDID SCSI Driver Specification Version 1.01

File Format: PDF/Adobe Acrobat - View as HTML

... Typical HBAs are single ported (containing a single SCSI interface) or if multi-parted, enumerate their hardware such that separate and independent hardware ...

www.projectudi.org/Release_1.01/PDF/scsi_driver_spec.pdf - Similar pages

axp-list: Re: 2 SCSI Controllers

Printed 4/6/04 (5:24:13 PM)

<http://www.google.com/search?q=enumerate+scsi&hl=en&l=8&ie=UTF-8&oe=UTF-8&start=1...>

... Next in thread: John: "Re: 2 SCSI Controllers ... this because the driver simply queries the PCI controller which tells all the PCI devices to enumerate, then the ..." www.alphalinux.org/archives/axp-list/January/1999/0064.html - 6k - Cached - Similar pages

◀ **Goooooooooogl e** ▶

Result Page: [Previous](#) 1 2 3 4 5 6 7 8 9 10 11 [Next](#)

[enumerate scsi](#)

[Search](#)

Search within results | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising](#) [Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

1 of 2

Printed 4/6/04 (5:24:13 PM)

2 of 2

<http://www.google.com/search?q=scsi+enumeration+id+incremented&hl=en&lr=&ie=UTF-8&...>

Google

Web Images Groups News Froogle [New!](#) more »

[Search](#) Advanced Search Preferences

Results 11 - 20 of about 218 for scsi enumeration id incremented

[Summary of changes from v2.5.36 to v2.5.37 ...](#)

... Infrastructure to allow for firmware-based enumeration of the ... one would be much better static in scsi <garzik ... load that board - Always start phy id scan at ...

www.kernel.org/pub/linux/kernel/v2.5/ChangeLog-2.5.37 - 37k - Cached - [Similar pages](#)

[Summary of changes from v2.5.46 to v2.5.47 ...](#)

... vac property enumeration pollutes namespaces ... 2.5 include/cmc/cmciscode.h o added product ID's for a ... multiple updates and fixes, driver ported to scsi mid-layer ...

www.kernel.org/pub/linux/kernel/v2.5/ChangeLog-2.5.47 - 88k - Cached - [Similar pages](#)

[More results from www.kernel.org]

[EP_12383_33](#)

... leaf 570, and two sub-nexus : -SCSI HBA driver ... class API *//* > drv->probe () performs an enumeration/probing of ... dev->node, my-ops, my->id) , if (drvPropFind ...

www.kernel.org/pub/linux/kernel/v1238333/ - 101k - Cached - [Similar pages](#)

[RE: I ipsI FW: Initial review of http://www.jeff.org/internet-draft](#)

... of a FC switch), or zero if > > the no Domain id has been ... 3. FcPortType enumeration "dynamic(3 ... www.ietf.org/internet-draft, Next by Date: [its] SCSI MIB stat ...

www.ietf.org/mail-archive/working-groups/ips/current/msg00429.html - 32k - Cached - [Similar pages](#)

[\[r0f\] T10/02-134r2 SAM-2 SPC-3 SBC-2 Clearing effects of L_T nexus...](#)

File Format: PDF/Adobe Acrobat - View as HTML
Developer: apple.com/hardware/usb/usb_mail/2001/usmailto0315.htm - 59k - Cached - [Similar pages](#)

wakeup from a SCSI target port as described in SPC-3, 5 SCSI Command Model ... commands of an L_T nexus shall include a CRN argument that is incremented by one ...

www.t10.orgftp/t10/document.02/02-134r2.pdf - [Similar pages](#)

[USB Mail March 15 - 21, 2001](#)

The result show that >the SCSI commands not run sequential ... the firmware and causes >a re-enumeration, and one ... the supports of numerous devices with the same ID. ...

developer.apple.com/hardware/usb/usb_mail/2001/usmailto0315.htm - 59k - Cached - [Similar pages](#)

[From linuxppc-dev@lists.linuxppc.org Tue Dec 2 23:34:05 2003 From ...](#)

... The enumeration code still doesn't handle such errors well ... is perhaps not so important since scsi->id is ... incoming to linuxppc-2.4 Message-ID: <E1AVtbtv-008BAD-00 ...

source:mvista.com/pipermail/linuxppc-committ/2003-December.txt - 101k - Cached - [Similar pages](#)

[Incoming to hostme.bitkeeper.com:/ua/repos/p/ppc/linuxppc-2.5](#)

... pre-existing disk geometry drivers/scsi/scsicam.c ... dev->devmum (assigned not quite randomly during enumeration). ... 0 [PAICH] USB physical paths id This provides ... source:mvista.com/pipermail/linuxppc-committ/2002-April/002085.html - 101k - Cached - [Similar pages](#)

[BEGIN PGP SIGNED MESSAGE](#) Hash: SHA1 - ---linux-2.4.23...

... extern struct linux_romvec romvec; /* Enumeration to describe ... 2 10:02:32 2004
++ b/drivers/scsi/megaraid.c ... * \$Id: sch_hub.c,v 1.24 2003/07/28 15:25 ...
www.hardrock.org/kernel/current-updates/ linux-2.4.24-updates.patch - 80k - Cached - [Similar pages](#)

<http://www.google.com/search?q=scsi+enumeration+id+incremented&hl=en&lr=&ie=UTF-8&...>

LWN: 2.5 long-format changelog
... This broke the enumeration of some devices (maxpacket != 8 ... breakage: <komujun@nifty.com>
Add PCI id to tulip net ... PATCH for scsi changes <alan ...
lwn.net/Articles/14198/ - 101k - Cached - [Similar pages](#)

[◀ GOOOOOOOOG | c ▶](#)

Result Page: [Previous](#) 1 2 3 4 5 6 7 8 9 10 11 [Next](#)

[scsi enumeration id incremented](#)

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

<http://www.google.com/search?q=scsi+enumeration+sam&hl=en&lr=&ie=UTF-8&oe=UTF-8>

Google

Web Images Groups News Froggle^{new!} more »

scsi enumeration sam Search Advanced Search

Results 1 - 10 of about 842 for scsi enumeration sam. (0.13 seconds)

2.1 General Requirements

... must be used when doing the multi-lun enumeration and are ... that the HD and its associated hardware support full SCSI-3 LUN addressing per the SAM-2 Eight ... [uw713doc.sco.com/en/UDI/spec/scsi_reqmts.html](#) - 10k - Cached - [Similar pages](#)

Linux-kernel mailing list archive 2002-24. Re: /proc/scsi/mad

... Previous message: Sam Ravnborg: "Re: 2.5.21 make problem": ... these four numbers all arose by enumeration - they are ... quite some digging in /proc/scsi/scsi and /proc ... [www.cs.helsinki.fi/linux/linux-kernel/2002-24/0004.html](#) - 7k - Cached - [Similar pages](#)

[PDF] SSS & IP packets over SCSI

File Format: PDF/Adobe Acrobat - View as HTML

This standard is intended to be used in conjunction with the SCSI-3 Architecture Model (SAM) standard and with the X3.2701 the SCSI Primary Command Set (SPC) ... [www.t1.org/t10/document.98-98-183n.pdf](#) - Similar pages

[PDF] T10/02-2322 SAM-3 SPC-3 SBC-2 Clearing effects of L T nexus loss

File Format: PDF/Adobe Acrobat - View as HTML

... This standard is intended to be used in conjunction with the SCSI-3 Architecture Model (SAM) standard and with the X3.2701 the SCSI Primary Command Set (SPC) ... [T10/02-2322 SAM-3 SPC-3 SBC-2 Clearing effects of L T nexus loss](#) Page 10 of 21 N Notification event services The SCSI Primary Command Set (SPC) ... [www.t1.org/t10/document.02/02-2322r.pdf](#) - Similar pages

[More results from www.t10.org]

[PDF] UDI SCSI Driver Specification Version 1.0

File Format: PDF/Adobe Acrobat - View as HTML

... to the Single Level LUN Structure as per SAM-2 (ie ... is specified by the HD as an enumeration attribute on ... basis, the LUN component is specified only in SCSI110 ... [www.projectudi.org/Release_1.0/pdf/scsi_driver_spec.pdf](#) - Similar pages

patch-2.0.8 linux/drivers/scsi/BusLogic.h

... 21 @@@ /* Define the Enable Wide Mode SCSI CCB request ... a union of + structs containing enumeration type bitfields ... nic.tunetlif CL-scripts by Sam Shen, shishen ... [nic.tunetlif/Linux/PEOPLE/Elinusv2/0/patch-hdm/patch-2.0.8/linux_drivers_scси_BusLogic.h.html](#) - 12k - Cached - [Similar pages](#)

Linux-Kernel Archive: Re: 2.7 block ramblings. (was: Re: DMA for ide...)

... What > SAM-3 did for SCSI was essentially give us ... like power management or hw-specific device enumeration ... ATA and SCSI drivers would be fairly small, with a ... [www.uwsg.iu.edu/hypermail/linux/kernel/308.1/1915.html](#) - 8k - Cached - [Similar pages](#)

UDI SCSI Driver Specification 1.01 - Glossary

... SAM SCSI-3 Architectural Model ... two and the 'tag' is level three of SCSI addressing. ... the attributes listed are rankable, all other enumeration attributes have ... [ou8000doc.caldera.com/UDI/spec/scsi_driver_spec-5.html](#) - 8k - Cached - [Similar pages](#)

MSDN Home > MSDN Library > Windows Development > Glossary > S

... security account manager (SAM) An integral subsystem that maintains a ... SRB See SCSI request block ... a number of different ways, including device enumeration by the ... [msdn.microsoft.com/library/en-us/gloss/html/glossary_64qf.asp](#) - 42k - Cached - [Similar pages](#)

... <http://www.google.com/search?q=scsi+enumeration+sam&hl=en&lr=&ie=UTF-8&oe=UTF-8>

Previous
... SAM Security Account Manager ... SRB (SCSI request block) A system-defined SCSI_REQUEST_BLOCK structure that ... of different ways, including device enumeration by the ... [www.osr.com/dik/gloss/glossary.html](#) - 27k - Cached - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

scsi enumeration sam Search

Search within results | Language Tools | Search Tips | Disassatisfied? Help us improve

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google

1 of 2

Printed 4/6/04 (5:24:29 PM)

2 of 2

L Number	Hits	Search Text	DB	Time stamp
17	86	"3494" & "tape library"	US-PPUB;	2004/04/06 08:35
18	10	delayed & ("3494" & "tape library")	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:37
19	542	710/10.cc1s.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:38
20	29	modular & 710/10.cc1s.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:41
21	1688	(daisychains (daisy adj1 chains\$)) near3 (unit device module modular)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 11:16
22	391695	(count number) near3 (unit device module modular)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:43
23	128993	(id identif\$) near3 (unit device module modular)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:44
24	454	((daisychains (daisy adj1 chains\$)) near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular))	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:44
25	82	tape \$ ((daisychains (daisy adj1 chains\$)) near3 (unit device module modular)) & (near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular))	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 10:05
27	5	tape \$ ((daisychains (daisy adj1 chains\$)) near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular)) & ((near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular))) & (tape near3 media)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 08:53
28	31339	media near3 media	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 10:06
29	10	((daisychains (daisy adj1 chains\$)) near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular)) & ((near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular))) & (increments3	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 10:06
26	42	near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identif\$) near3 (unit device module modular)) & (increments3	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/04/06 10:36

30	2733	enumerat\$ near3 (unit device module modular)	USPAT;	2004/04/06 11:12
31	47	(tape near3 media) & (enumerat\$ near3 (unit device module modular))	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 11:13
32	47	((tape near3 media) & (enumerat\$ near3 (unit device module modular)) not (tape & ((daisychain\$ (daisy add1 chain\$)) near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identifier) near3 (unit device module modular)) (daisychain\$ (daisy add1 chain\$)) near3 (unit device module modular)) & pulses3	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 11:13
33	604	tape & (((daisychain\$ (daisy add1 chain\$)) near3 (unit device module modular)) & pulses\$)	USPAT;	2004/04/06 11:17
34	110	tape & (((daisychain\$ (daisy add1 chain\$)) near3 (unit device module modular)) & pulses\$)	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 11:17
43	26	(US-6664658-\$ or US-6438459-\$ or US-6360232-\$ or US-6356033-\$ or US-6176594-\$ or US-5901125-\$ or US-6665163-\$ or US-6398005-\$ or US-5346278-\$ or US-4312081-\$ or US-6333005-\$ or US-693785-\$ or US-5366510-\$ or US-5357605-\$).did. or (US-20040044860-\$ or US-20020167226-\$ or US-20030070033-\$ or US-20030014633-\$ or US-20030015621-\$ or US-20030023409-\$ or US-20030118719-\$ or US-2002016693-\$ or US-20020144813-\$ or US-20020144065-\$ or US-20030119037-\$ or US-20010032279-\$).did.	US-PGPUB;	2004/04/06 11:52
48	2	(US-6364658-\$ or US-6438459-\$ or US-6360232-\$ or US-6356033-\$ or US-6176594-\$ or US-5901125-\$ or US-6665163-\$ or US-6398005-\$ or US-5346278-\$ or US-4312081-\$ or US-6333005-\$ or US-693785-\$ or US-5366510-\$ or US-5357605-\$).did. or (US-20040044860-\$ or US-20020167226-\$ or US-20030070033-\$ or US-20030014633-\$ or US-20030015621-\$ or US-20030023409-\$ or US-20030118719-\$ or US-2002016693-\$ or US-20020144813-\$ or US-20020144065-\$ or US-20030119037-\$ or US-20010032279-\$).did.	USPAT;	2004/04/06 11:53
49	762	scsi & enum\$	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 12:00
51	1	(scsi & enum\$) & (lun near3 increments\$)	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 11:53
50	7	lun near3 increments\$	US-PGPUB; EPO; JPO; DEVENT; IBM_TDB	2004/04/06 12:21

52	830	1d near3 increments\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:31	72	13	scsi near3 (bus buses buses) near3 enumerat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:39
53	1	(scsi & enum\$) & (id near3 increments\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 11:57	73	5	scsi near3 (device unit module) near3 enumerat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:46
54	2527	target near3 increments\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 11:58	74	64	scsi near3 assign\$ near3 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:48
55	10	(target near3 increments) & (scsi & enum\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 11:58	75	0	scsi near3 assign\$ near3 number near10 consecutive\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:05
56	30	enum\$ near3 increments	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:00	76	564	assign\$ near3 number near10 consecutive\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:20
57	2	(scsi & enum\$) & (enum\$ near3 increments)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:02	77	56	scsi & (assign\$ near3 number near10 consecutive\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:06
60	62	(id near3 increments) & scsi\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:16	78	497	assign\$ near3 number near10 increments\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 15:21
61	11	lun near8 increments\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 12:21	79	30	scsi & (assign\$ near3 number near10 increments\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 16:06
62	8	scsi near3 (bus buses buses) near5 increments\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:38	80	2765	assign\$ near3 (increments\$ consecutive\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 16:07
67	4	power near3 reset near8 enumerat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:33	81	7	((daisychains (daisy adj1 chain\$)) near3 (unit device module module) & (assign\$ near3 (increments\$ consecutive\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 16:07
68	28077	count near3 (device unit module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:33	-	2	"20020169903" .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 20:03
69	140	((daisychains (daisy adj1 chain\$)) near3 (unit device module module) & (count near3 (device unit module)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:33	-	21	frame & ("3494" & "tape library")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 20:14
70	17	tape & ((daisychains (daisy adj1 chain\$)) near3 (unit device module module) & (count near3 (device unit module)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:36	-	4403	frame near3 bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 20:15
71	20	enumerat\$ near3 lun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/06 14:37	-	1271	"tape library"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 20:17

-	11 {frame near3 bus) & "tape library"	USPAT; US-PGUB; EPO; JPO; DEWENT; IBM TDB	2004/04/05 20:15
-	2172 tapes\$1 near3 librars\$3	USPAT; US-PGUB; EPO; JPO; DEWENT; IBM TDB	2004/04/05 20:17
-	11 {tapes\$1 near3 librars\$3) & {frame near3 bus)	USPAT; US-PGUB; EPO; JPO; DEWENT; IBM TDB	2004/04/05 20:17
-	0 ((tapes\$1 near3 librars\$3) & {frame near3 bus) not ((frame near3 bus) & "tape library")	USPAT; US-PGUB; EPO; JPO; DEWENT; IBM TDB	2004/04/05 20:17